

Note on *Otiorhynchus phasma* Rottenberg, 1872, with a new synonymy (Coleoptera, Curculionidae)

Abstract

The recently published catalogue of Palaearctic Curculionoidea (ALONSO-ZARAZAGA et al. 2017) lists for the genus *Otiorhynchus* Germar, 1822 *O. (Podonebistus) phasma* Rottenberg, 1872 and *O. (Metopiorrhynchus) garibaldinus* Solari & Solari, 1909, both distributed in Sicily and in Calabria (SPARACIO 1999, OSSELLA et al. 2004, ABBAZZI & MAGGINI 2009).

The taxonomic history of *O. phasma* and of *O. garibaldinus* is quite complex. *Otiorhynchus phasma*, a quite isolated species, was described from Mount Etna (ROTTENBERG 1872: 226). In the same paper ROTTENBERG named *O. heteromorphus* Rottenberg, 1872 another unusually shaped *Otiorhynchus* again from Mount Etna (Nicolosi) whose description is just slightly different from that of *O. phasma*. Most of the subsequent authors failed to recognize the above mentioned species (BERTOLINI 1872, WEISE 1883, VITALE 1890 & 1900, RAGUSA 1904a, 1904b), whereas STIERLIN (1883), probably having seen type(s) of it, placed *O. phasma* in the genus *Troglorhynchus* SCHMIDT, 1854, leaving *O. heteromorphus* inside *Otiorhynchus*. This arrangement was followed by WEISE (1891), VITALE (1900), and RAGUSA (1904a, 1904b). WEISE (1906: 600) was the first who established the synonymy between *O. phasma* and *O. heteromorphus*, most likely after the study of types. He listed it under *Otiorhynchus* subgenus *Dorymerus* Seidlitz, 1890. However, LUIGIONI (1929: 870) and PORTA (1932: 57) still kept the species under *Troglorhynchus*. On the contrary, WINKLER (1932: 1431), again considering *O. phasma* an *Otiorhynchus*, did not place it in any of the subgenera described by REITTER (1912, 1914), followed by LONA (1936: 223). Afterwards, *O. phasma* was placed by MAGNANO & ALONSO-ZARAZAGA (2013: 335) into the subgenus *Podonebistus* Reitter, 1912, probably due to its very elongate shape which makes it look similar to some species from the Balkans, Eastern Europe, Caucasus and Central Asia, although there might not exist a closer relationship between them.

Instead, *O. garibaldinus* was listed by PORTA (1932), ABBAZZI & MAGGINI (2009), MAGNANO & ALONSO-ZARAZAGA (2013), and ALONSO-ZARAZAGA et al. (2017) under the subgenus *Metopiorrhynchus* Reitter, 1912, according to the placement firstly proposed by LUIGIONI (1929: 863).

We had the opportunity of studying the female type of *O. garibaldinus* (Fig. 1) together with a series of specimens of *O. phasma* identified by the late specialist Luigi Magnano who studied types of both species, and who did not find any differences between them. Thus, we establish here the synonymy: *Otiorhynchus (Podonebistus) phasma* Rottenberg, 1872 [= *O. garibaldinus* Solari & Solari, 1909; *syn. n.*]. This same synonymy is contained in an unpublished note by Magnano read by both authors of this paper in which is also stated that *O. phasma* is a parthenogenetic species, since thus far no males of it are known.

Keywords: Curculionidae,
Otiorhynchus phasma,
synonymy

Indirizzi degli autori:

Enzo Colonnelli
via delle Giunchiglie 56
00172 Roma, Italy
ecolonnelli@yahoo.it

Roberto Casalini
Museo Civico di Zoologia
via Ulisse Aldrovandi 18
00197 Roma, Italy
roberto.casalini@comune.roma.it

eingereicht: 20.10.2019
angenommen: 26.11.2019

DOI: 10.5281/
zenodo.3565386

Acknowledgements

We are deeply indebted to our friend Francesco Sacco, Rome, Italy for taking pictures of the species dealt with in this note. We also heartily thank Michele Zilioli of the Museo Civico di Soria Naturale di Milano, Italy, for lending us the female type of *O. garibaldinus*.



Fig. 1: *Otiorhynchus phasma* Rottenberg: on left side female type of *O. garibaldinus* Solari & Solari, size mm 5.7; on right side female specimen of *O. phasma* from Sicily: Messina, Nebrodi, Monte Soro, m 1800, 8.VI.2007, Baviera & Bellò leg., size mm 5.4, to the same scale. Photo by Francesco Sacco.

Literature

- ABBAZZI P. & MAGGINI L., 2009: Elenco sistematico-faunistico dei Curculionoidea italiani, Scolytidae e Platypodidae esclusi (Insecta, Coleoptera). Aldrovandia, 5: 29-216.
- ALONSO-ZARAZAGA M. A., BARRIOS H., BOROVEC R., BOUCHARD P., CALDARA R., COLONNELLI E., GÜLTEKİN L., HLAVAC P., KOROTYAEV B., LYAL C.H.C., MACHADO A., MEREGALLI M., PIEROTTI H., REN L., SÁNCHEZ-RUIZ M., SFORZI A., SILFVERBERG H., SKUHROVEC J., TRÝZNA M., VELÁZQUEZ DE CASTRO A.J. & YUNAKOV N.N., 2017: Cooperative catalogue of Palaearctic Coleoptera Curculionoidea. Monografías electrónicas de la Sociedad Entomológica Aragonesa, 8: 1-729.
- BERTOLINI S. DE, 1872: Catalogo sinonimico e topografico dei coleotteri d'Italia. Tipografia Cenniniana, Firenze, 44 pp.
- LONA C., 1936: Coleopterorum Catalogus auspiciis et auxilio W. Junk editus a S. Schenkling. Pars 148. Curculionidae: Otiorrhynchinae I. Junk, 's-Gravenhage, pp. 1-226.
- LUIGIONI P., 1929: I coleotteri d'Italia. Catalogo sinonimico-topografico-bibliografico. Memorie della Pontificia Accademia delle Scienze Nuovi Lincei, (II)13:[4] + 1-1159 [+1].
- MAGNANO L. & ALONSO-ZARAZAGA M.A., 2013: Tribe Otiorrhynchini Schoenherr, 1826 (pp. 302-347). In: LÖBL I. & SMETANA A. (eds.): Catalogue of Palaearctic Coleoptera. Volume 8. Curculionoidea II. Brill, Leiden-Boston, 700 pp.
- OSELLA G., ZUPPA A.M. & CANTELMI A., 2004: Le comunità a Coleoptera Curculionoidea del Parco dei Nebrodi (Sicilia Nord Orientale). Bollettino del Museo Civico di Storia Naturale di Verona, Botanica Zoologia, 28: 97-113.
- PORTA A., 1932: Fauna Coleopterorum italicica. Vol. V. Rhynchophora-Lamellicornia. Piacenza, 476 pp.
- RAGUSA E., 1904a: Catalogo ragionato dei coleotteri di Sicilia (Cont. ved. Anno II Nuova Serie, N. 9-10-11-12.). Il Naturalista Siciliano, 17(1): 21-24.
- RAGUSA E., 1904b: Catalogo ragionato dei coleotteri di Sicilia (Cont. ved. num. preced.). Il Naturalista Siciliano, 17(2): 55-59.
- REITTER E., 1912: Übersicht der Untergattungen und der Artengruppe des Genus *Otiorrhynchus* Germ. (Bestimmungstabellen nr. 66). Wiener Entomologische Zeitung, 31(2): 45-67.
- REITTER E., 1914: Bestimmungs-Tabellen der *Otiorrhynchus*-Arten mit gezähnten Schenkeln aus der palaearktischen Fauna. Abteilung: *Dorymerus* und *Tournieria*. Verhandlungen des Naturforschenden Vereines in Brünn, 52[1913]: 129-242.
- ROTTERBERG A. VON, 1872: Beiträge zur Coleopteren-Fauna von Sicilien (Drittes Stück) (Hierzu Tafel VIII.). Berliner Entomologische Zeitschrift, 15[1871](2/3): 225-247 + 1 pl.
- SOLARI A. & SOLARI F., 1909: Curculionidi della fauna paleartica. Note e descrizioni. III. Bullettino della Società Entomologica Italiana, 40[1908](3/4): 258-281.
- SPARACIO I., 1999: Coleotteri di Sicilia. Parte terza. Disegni di Michele Reina. L'Epos, Palermo, 189 + [2] pp. + 20 colour pls.
- STIERLIN G., 1883: Bestimmungstabellen europäischer Coleoptern. IX. Curculionidae. Mittheilungen der Schweizerischen entomologischen Gesellschaft, 6[1880/1884](8/9): 403-645.
- VITALE F., 1890: Studii su l'entomologia sicula. Nota II^a. Gli otorrhynchidi (Lac.) messinesi. Il Naturalista Siciliano, 10(2/3): 31-40.
- VITALE F., 1900: Rincofori siciliani. Catalogo generale sinonimico-topografico. Atti e Rendiconti dell'Accademia Dafnica di Acireale, 7[1899/1900]: 1-52.
- WEISE J., 1883: Curculionidae (pp. 146-175). In: Heyden L. von, Reitter E. & Weise J.: Catalogus Coleopterorum Europae et Caucasi. Editio tertia. Berolini, Londini, Parisiis, [II] + 228 pp.
- WEISE J., 1891: Curculionidae (pp. 270-330). In: Heyden L. von, Reitter E. & Weise J.: Catalogus Coleopterorum Europae, Caucasi et Armeniae rossicae. Reitter, Berlin, Mödling, Caen, VIII + 420 pp.
- WEISE J., 1906: Curculionidae (pp. 593-707). In: Heyden L. von, Reitter E. & Weise J.: Catalogus Coleopterorum Europae, Caucasi et Armeniae rossicae. Editio secunda. Paskau, Berlin, Caen, V + 774 pp.
- WINKLER A., 1932: Catalogus coleopterorum regionis palaearcticae. Pars 13: 1521-1702. A. Winkler, Wien.

